


JHPN Figure 1a,b



FIELD MOBILE PHONE




GRAMEEN




BAMWSP





INTERNET




JHPN Figure 3a



JHPN Figure 3b





JHPN Figure 4a,b





JHPN Figure 5a

CU/UD



BAMWSP

Chhota Manohardi



69%confidence>=200ft
Average Arsenic:56.92
0-40ft 0
40-75ft 38 p=42%
75-200ft gap
200ft 1 p=100%
200ft 0

Maruadi



79%confidence>=200ft
Average Arsenic:56.32
0-30ft 0
30-120ft 225 P=47%
120-180ft gap
180-200ft 7 P=86%
200ft 0

Ujan Gobindi

92%confidence>=200
Average Arsenic:64.40
0-30ft 0
30-110ft 199 P=37%
110-140ft gap
140-160ft 11 p= 73%
160-200ft gap
200-250ft 10 p=100%
250-350ft 0
820ft 4 p=100%
300-800ft 0
800ft 1 p=100%


Binair Char

89%confidence>=218ft
Average Arsenic:73.24
0-30ft 0
30-120ft 439 P=34%
120-150ft gap
150-160ft 5 P=60%
160-190ft gap
190-260ft 14 P=93%
260-350ft 0
350-1200 12 p=92%



Kadamdi

no confidence<=651ft
Average Arsenic:70.24
0-30ft 0
30-75ft 28 p=7%
75-651ft 0
651ft 1 p=0%


JHPN Figure 5b




JHPN Figure 6




JHPN Figure 7a,b



JHPN Figure 8



JHPN Figure 9



JHPN Figure 10